Massachusetts Fire Training Council Firefighter Practical Certification Examination

Skill Sheet No. FF-I- 103 07-01-06 Candidate Number				
Skill Title: DON SCBA-OVER-THE-HEAD METHOD				
NFPA Objective: 5.3.1 (B) Minimum to pass 14				
PERFORMANCE:			F	
1.	Crouch or kneel at end of SCBA opposite cylinder valve.			
2.	Check cylinder gauge and determine if full. (90% or above-2216 psi= 1994/4500 psi=4050)			
3.	Open cylinder valve to its maximum. Low air alarm must sound.			
4.	Check regulator gauge.			
	(Difference between cylinder and regulator gauge shall not exceed 100 psi)			
5.	Grasp backplate/cylinder assembly with both hands.			
6.	Raise backplate/cylinder assembly over head.			
7.	Place and balance backplate/cylinder assembly on upper back.			
8.	Connect necessary buckles and adjust underarm straps until snug.			
9.	Connect waist strap and adjust until snug.			
10.	1			
11.	1 0 1			
12.				
	shoulder.			
13.	Don helmet with ear covers down.			
14.	Connect and adjust chin strap under chin and not facepiece.			
15.	1 0			
1.0	(Activate positive pressure if so equipped.)			
16. 17.	Activate PASS device, if not integrated.			
18.	Don gloves. All Personal Protective Equipment is properly worn.			
19.				
19.	Completes within one minute.*			
	*NOTE: Timing of this skill will begin when the examiner states "please	+		
	begin" and will stop when the candidate takes his/her first positive pressure			
	breath from a properly sealed facepiece.			

Failure of this critical portion is cause for entire skill failure				
Examiner Signature	_ Date/			